



# AQUAFORMS

## QBWS - surface mount

### STANDARD FEATURES

- Exterior decorative architectural wall sconce
- Formed aluminum housing
- Aluminum decorative bands
- Stainless steel hardware
- Opal acrylic lens
- Compact fluorescent sources



Intertek



SERIES	MODEL	LAMP	VOLT	LUMENS	CCT	CONTROL	COLOR
QBWS	6700	18W/LED	120-277UNV 347-480UNV	2000	4000	0-10V DIM	<b>TAL</b> = TEXTURED ALUMINUM <b>TBK</b> = TEXTURED BLACK <b>TBZ</b> = TEXTURED BRONZE <b>TWH</b> = TEXTURED WHITE
		35W/LED		4000			

**EM** = EMERGENCY BACKUP  
**BT** = BLUETOOTH SENSOR  
**RD** = REMOTE DIMMING

### ORDERING INFORMATION

SERIES	MODEL	LAMP	VOLT	LUMENS	CCT	CONTROL	COLOR

Consult factory for voltage and other lamp options. Product specifications subject to change without notice.

1. Programmable drivers at the PACE factory
2. Color tunable
3. Capable of remote dimming
4. Can be equipped with motion sensors for on/off functioning
5. Can be equipped with light sensors for dusk-to-dawn automatic on/off operation
6. Bluetooth commissioning sensor capability for Android and iOS

Although PACE has prepared the information contained in this document with all due care, PACE does not warrant or represent that the information is free from errors or omission. Whilst the information is considered to be true and correct at the date of publication, changes in circumstances after the time of publication may impact on the accuracy of the information. The information may change without notice and PACE is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

In the interest of product improvement, Pace reserves the right to make technical and product specification changes without notice. Consult factory for voltage and other lamp options.



**PACE**  
ILLUMINATION


# AQUAFORMS

QBWS - surface mount

**SIZE**  
8" x 18"

**MOUNTING**  
Surface wall mount

**COLOR**  
Textured or smooth polyester powder coat finishes  
RAL colors available



Although PACE has prepared the information contained in this document with all due care, PACE does not warrant or represent that the information is free from errors or omission. Whilst the information is considered to be true and correct at the date of publication, changes in circumstances after the time of publication may impact on the accuracy of the information. The information may change without notice and PACE is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

In the interest of product improvement, Pace reserves the right to make technical and product specification changes without notice. Consult factory for voltage and other lamp options.